

Specie	Località	Fenologia	Gruppo Trotico	Gruppo Tassonomico	numero segnalazioni	Red List
<i>Agaricus arvensis</i> Schaeff.	2	X	S	B	1	
<i>Agaricus augustus</i> Fr.	13	VII	S	B	1	
<i>Agaricus langei</i> (FH Møller) FH Møller	2	VII	S	B	1	
<i>Agaricus semotus</i> Fr.	2; 12; 13; 18	VI-VII-VIII-IX-X	S	B	10	
<i>Agaricus sylvaticus</i> Schaeff.	5	IX	S	B	1	RUS
<i>Agaricus sylvicola</i> (Vittad.) Peck	1; 2; 5; 8; 9; 13	VII-VIII-IX	S	B	9	RUS
<i>Agaricus urinascens</i> (Jul. Schäff. & F.H. Møller) Singer	8	VII	S	B	1	BAV-N-NMK-PL-RUS
<i>Agrocybe elatella</i> (P. Karst.) Vesterh.	2	VII	S	B	2	CH-FIN
<i>Agrocybe praecox</i> (Pers.) Fayod	1; 2; 5	VI	S	B	3	
<i>Aleurodiscus amorphus</i> (Pers.) J. Schröt.	2; 17	III-IV	S	B	2	CH-MNE
<i>Amanita citrina</i> Pers.	2; 5; 13; 18	IX-X	E	B	7	
<i>Amanita excelsa</i> (Fr.) Bertill.	13; 18	VII-IX	E	B	2	
<i>Amanita fulva</i> Fr.	13	VII	E	B	1	
<i>Amanita gemmata</i> (Fr.) Bertill.	5	VI-IX	E	B	2	AM-CH
<i>Amanita muscaria</i> (L.) Lam.	1; 2; 5; 9; 12; 13	VII-IX-X	E	B	13	AM-RUS
<i>Amanita ochraceomaculata</i> Neville, Poumarat & Fraiture	1; 18	IX	E	B	2	
<i>Amanita pantherina</i> (DC.) Krombh.	5	VII	E	B	1	
<i>Amanita phalloides</i> (Vaill. ex Fr.) Link	1; 5; 9; 13	VII-VIII-IX	E	B	6	AM-RUS
<i>Amanita rubescens</i> Pers.	1; 2; 5; 9; 12; 13; 18	VII-VIII-IX-X	E	B	11	
<i>Amanita rubescens</i> Pers. var. <i>annulosulphurea</i> Gillet	2; 5	IX	E	B	2	RUS
<i>Amanita spadicea</i> Pers.	1; 2; 12; 18	VII-IX-X	E	B	9	FIN
<i>Amanita submembranacea</i> (Bon) Gröger	18	IX	E	B	1	
<i>Amanita umbrinolutescens</i> (Secr. ex Gillet) Bataille	1; 2; 5; 12; 13; 18	VI-VII-VIII-IX-X	E	B	25	
<i>Amanita vaginata</i> (Bull.) Lam.	1; 2; 5; 12; 17; 18	VII-VIII-IX-X	E	B	14	RUS
<i>Amanita virosa</i> Bertill.	2; 5; 13	VII-VIII-IX-X	E	B	11	PL
<i>Amphinema byssoides</i> (Pers.) J. Erikss.	1; 17; 24	XII	S	B	4	
<i>Ampulloclitocybe clavipes</i> (Pers.) Redhead, Lutzoni, Moncalvo & Vilgalys	1; 2; 17; 18	VII-IX	S	B	9	
<i>Amylostereum areolatum</i> (Chaillat ex Fr.) Boidin	4	IX	S	B	1	CH-NMK
<i>Amylostereum chaillatii</i> (Pers.) Boidin	2; 9; 17	VII	S	B	4	
<i>Amylokenasmas allantosporum</i> (Oberw.) Hjortstam & Ryvarden	23		S	B	1	
<i>Antrodia semisupina</i> (Berk. & M.A. Curtis) Ryvarden	24		S	B	1	EST
<i>Apioperdon pyriforme</i> (Schaeff.) Vizzini	1; 2; 5; 12; 13; 17; 18	VII-VIII-IX-X	S	B	12	
<i>Arcyria cinerea</i> (Bull.) Pers.		9 VIII	B	M	1	
<i>Arcyria denudata</i> (L.) Wettst.	2	VIII	B	M	1	
<i>Armillaria gallica</i> Marxm. & Romagn.	1; 2; 5; 12; 13	IX-X	S-P	B	10	
<i>Armillaria ostoyae</i> (Romagn.) Herink	1; 2; 5; 12; 13	VII-IX-X	S-P	B	9	
<i>Arrhenia epichysium</i> (Pers.) Redhead, Lutzoni, Moncalvo & Vilgalys	2; 12	IX-X	S	B	2	BAV-BG-SK
<i>Artomyces pyxidatus</i> (Pers.) Jülich	1	IX	S	B	1	AL-BG-GB-NMK-RUS-S-SLO
<i>Ascocoryne cylichnium</i> (Tul.) Korf	1; 9	X	S	A	2	
<i>Ascocoryne sarcooides</i> (Jacq.) J.W. Groves & D.E. Wilson	1; 2	IX-XI	S	A	3	
<i>Asterophora lycoperdoides</i> (Bull.) Ditmar	1	VII	P	B	1	AM-IS-RO-RUS
<i>Athelia acrospora</i> Jülich	17		S	B	2	RUS
<i>Athelia decipiens</i> (Höhn. & Litsch.) J. Erikss.	17	V	S	B	1	
<i>Athelia fibulata</i> M.P. Christ.	9		S	B	1	RUS
<i>Athelopsis glaucina</i> (Bourdot & Galzin) Oberw. ex Parmasto	17; 22		S	B	2	
<i>Atheniella flavaalba</i> (Fr.) Redhead, Moncalvo, Vilgalys, Desjardin & B.A. Perry	1; 2	IV-VII-VIII	S	B	4	
<i>Atractosporocybe inornata</i> (Sowerby) P. Alvarado, G. Moreno & Vizzini	2; 5	IX-X	S	B	4	BAV-N
<i>Auriporia aurulenta</i> A. David, Tortiç & Jelić	17	III	S	B	1	CZ-HR
<i>Baeospora myosura</i> (Fr.) Singer	5	IX	S	B	1	
<i>Baeospora myriadophylla</i> (Peck) Singer	12	IX-X-XI	S	B	7	CZ-FIN-HR-IP-SK
<i>Basidiobolus cinereus</i> (Bres.) Luck-Allen	17		S	B	1	
<i>Basidiobolus crustosus</i> (Pers.) Zmitr., Malysheva & Spirin	24		S	B	1	
<i>Bertia moriformis</i> (Tode) De Not.	2	III	S	A	1	
<i>Bisporella citrina</i> (Batsch) Korf & S.E. Carp.	1; 2; 5; 9; 12	VIII-IX-X-XI	S	A	8	
<i>Bjerkandera adusta</i> (Willd.) P. Karst.	2; 9; 12; 13; 22	VII-VIII-IX	S	B	8	EST-RUS
<i>Boidinia furfuracea</i> (Bres.) Stalpers & Hjortstam	17		S	B	2	
<i>Boletus aestivalis</i> (Paulet) Fr.	1; 5; 9; 13	VII-VIII	E	B	6	N
<i>Boletus edulis</i> Bull.	1; 2; 5; 8; 12; 13	VII-VIII-IX-X	E	B	12	AM
<i>Botryobasidium candicans</i> J. Erikss.	17	IV	S	B	1	
<i>Botryobasidium conspersum</i> J. Erikss.	17		S	B	1	
<i>Botryobasidium subcoronatum</i> (Höhn. & Litsch.) Donk	17		S	B	1	
<i>Bovista nigrescens</i> Pers.	1	IX	S	B	1	
<i>Butyriboletus subappendiculatus</i> (Dermek, Lazebn. & J. Veselský) D. Arora & J.L. Frank	13	VII	E	B	1	CH-MNE-SK
<i>Byssomerulius corium</i> (Pers.) Parmasto	9		S	B	1	
<i>Byssonectria fusispora</i> (Berk.) Rogerson & Korf	13; 17	V	S	A	3	CH
<i>Cabalodontia subcretacea</i> Litsch.) Piątek	9		S	B	1	
<i>Caloboletus calopus</i> (Pers.) Vizzini	2; 5; 10	VII-IX	E	B	4	BAV-EST-FIN-RUS
<i>Calocera viscosa</i> (Pers.) Fr.	2; 5; 11; 12; 13; 18	VII-VIII-IX-X	S	B	12	
<i>Calocybe gangraenosa</i> (Fr.) V. Hofst., Moncalvo, Redhead & Vilgalys	2	IX	S	B	1	
<i>Calocybe ionides</i> (Bull.) Donk	13	IX	S	B	1	BG-CZ-EST-FIN-HR-S
<i>Caloscypha fulgens</i> (Pers.) Boud.	2; 13	IV-V	P	A	2	CH-CZ-HR-EST-GB-LV-MNE-N-PL-SK-SLO
<i>Calyptella capula</i> (Holmsk.) Quél.	2	VII	S	B	1	PL
<i>Cantharellus amethysteus</i> (Quél.) Sacc.	1; 2; 5; 12; 18	IX-X	E	B	12	
<i>Cantharellus cibarius</i> Fr.	1; 2; 5; 13	VI-VII-VIII-IX	E	B	10	AL-NMK-RUS
<i>Cantharellus friesii</i> Quél.	13	IX	E	B	1	BAV-BG-CZ-GB-HR-N-PL-RO-S
<i>Cantharellus pallens</i> Pilat	5	VII	E	B	1	N
<i>Ceratiomyxa fruticulosa</i> (O.F. Müll.) T. Macbr.	2	VI-VII	B	M	3	
<i>Ceriporus mollis</i> (Sommerf.) Zmitr. & Kovalenko	17		S	B	1	EST
<i>Ceriporia reticulata</i> (Hoffm.) Domański	17		S	B	1	AL-EST-PL

<i>Ceriporiopsis mucida</i> (Pers.) Gilb. & Ryvarden	17; 22		S	B	2	EST-PL
<i>Chalciporus piperatus</i> (Bull.) Bataille	2; 5; 12; 18	VII-IX-X	E	B	8	
<i>Cheilymenia crucipila</i> (Cooke & W. Phillips) Le Gal	2	VII	S	A	1	
<i>Chlorocibaria aeruginascens</i> (Nyl.) Kanouse ex C.S. Ramamurthi, Korf & L.R. Batra	5; 9; 12; 13; 18; 26	VI-VII-VIII-IX	S	A	6	
<i>Chlorophyllum olivieri</i> (Barla) Vellinga	1; 13	VII-IX-X	S	B	3	RUS
<i>Chroogomphus helveticus</i> (Singer) M.M. Moser	5	IX	E	B	2	PL
<i>Chroogomphus rutilus</i> (Schaeff.) O.K. Mill.	5	IX	E	B	1	
<i>Chrysomphalina grossula</i> (Pers.) Norvell, Redhead & Ammirati	2; 6; 12; 13	VIII-IX-X	S	B	5	IP-NMK-PL
<i>Ciboria rufofusca</i> (O. Weberb.) Sacc.	1; 2; 17	V	S	A	4	
<i>Cinereomyces lindbladii</i> (Berk.) Jülich	12	III-X	S	B	2	PL-RUS
<i>Clavariadelphus pistillaris</i> (L.) Donk	1; 2; 5; 8	IX-X	E	B	7	AM-BG-LV-MNE-NMK-RUS
<i>Clavariadelphus truncatus</i> Donk	4; 5; 12	IX-X	E	B	4	AL-BG-GB-LV-MNE-NMK-PL-RUS-S-SK
<i>Clavulicium macounii</i> (Burt) J. Erikss. & Boidin ex Parmasto	9; 17		S	B	2	CZ-HR-IP-S
<i>Clavulina coralloides</i> (L.) J. Schröt.	1; 2; 5; 13; 18	VII-VIII-IX	S	B	16	
<i>Clavulina reae</i> Olariaga	2; 18	IX	S	B	5	
<i>Clavulina rugosa</i> (Bull.) J. Schröt.	2	IX	S	B	1	
<i>Clavulinopsis laeticolor</i> (Berk. & M.A. Curtis) R.H. Petersen	12	IX	S	B	1	BAV-NMK-PL
<i>Clitocybe anisata</i> Velen.	17	IX	S	B	1	FIN
<i>Clitocybe candicans</i> (Pers.) P. Kumm.	12	IX	S	B	1	
<i>Clitocybe cerussata</i> (Fr.) P. Kumm.	2; 12; 13	VIII-IX	S	B	3	
<i>Clitocybe dealbata</i> (Sowerby) P. Kumm.	5	VII-IX	S	B	2	
<i>Clitocybe foetens</i> Melot	2	IX	S	B	1	FIN
<i>Clitocybe fragrans</i> (With.) P. Kumm.	1; 2; 5; 12; 17	VII-VIII-IX	S	B	7	
<i>Clitocybe metachroa</i> (Fr.) P. Kumm.	2	IX	S	B	1	
<i>Clitocybe nebularis</i> (Batsch) P. Kumm.	2; 4; 5; 12	IX-X	S	B	6	
<i>Clitocybe odora</i> (Bull.) P. Kumm.	2; 5; 12; 13	VII-VIII-IX	S	B	8	RO
<i>Clitocybe phaeophthalma</i> (Pers.) Kuyper	1; 2; 5; 9; 13; 18	IX-X	S	B	7	AL
<i>Clitocybe phyllophila</i> (Pers.) P. Kumm.	12	X	S	B	1	
<i>Clitocybe umbilicata</i> (Ellis) M.E. Barr	1; 2; 5; 9; 18	IX	S	B	8	
<i>Clitocybe vibecina</i> (Fr.) Quél.	2; 18	IX-X	S	B	3	
<i>Clitocybula lacerata</i> (Scop.) Métrod	12; 18	IX-X	S	B	3	CZ-HR-PL
<i>Clitopilus caelatus</i> (Fr.) Vila & Contu	2	VII	E	B	1	PL
<i>Clitopilus cystidiatus</i> Hauskn. & Noordel.	12; 13	VII-X	E	B	2	FIN
<i>Clitopilus hobsonii</i> (Berk.) P.D. Orton	2	VII	S	B	1	
<i>Clitopilus prunulus</i> (Scop.) P. Kumm.	1; 2; 5; 9; 12; 13; 18	VII-VIII-IX	E	B	9	
<i>Collybia cirrhata</i> (Schumacher) Quél.	5	IX	S	B	1	
<i>Collybia cookei</i> (Bres.) J.D. Arnold	2	IX	S	B	1	AM
<i>Collybia tuberosa</i> (Bull.) P. Kumm.	2; 5	IX	S	B	2	
<i>Comatricha nigra</i> (Pers.) J. Schröt.	1	XI	B	M	1	
<i>Conocybe pilosella</i> (Pers.) Kühner	2	VII	S	B	1	
<i>Conohypha albocrema</i> (Höhn. & Litsch.) Jülich	17		S	B	1	S
<i>Coprinellus disseminatus</i> (Pers.) J.E. Lange	5; 13	V-VII	S	B	3	
<i>Coprinellus micaceus</i> (Bull.) Vilgalys, Hoppie & Jacq. Johnson	5; 13; 14	VI-VII	S	B	3	
<i>Coprinellus radians</i> (Fr.) Vilgalys, Hoppie & Jacq. Johnson	11	VI	S	B	1	
<i>Coprinopsis atramentaria</i> (Bull.) Redhead, Vilgalys & Moncalvo	2; 5; 14	IX-X	S	B	5	
<i>Coprinopsis nivea</i> (Pers.) Redhead, Vilgalys & Moncalvo	5	VII	S	B	1	
<i>Coprinopsis picacea</i> (Bull.) Redhead, Vilgalys & Moncalvo	15	VII	S	B	1	PL
<i>Coprinopsis romagnesiana</i> (Singer) Redhead, Vilgalys & Moncalvo	2; 13; 18	VI-IX	S	B	4	
<i>Coprinus comatus</i> (O.F. Müll.) Pers.	1; 2; 5; 11; 12; 13; 18	VII-VIII-IX-X	S	B	8	
<i>Cordyceps militaris</i> (L.) Fr.	2	VIII-IX	P	A	2	PL-RO-RUS
<i>Corticium roseum</i> Pers.	1	III	S	B	1	
<i>Cortinarius acutus</i> (Pers.) Fr.	2; 5	IX	E	B	2	PL
<i>Cortinarius albovariegatus</i> (Velen.) Melot	2	VII-IX	E	B	2	
<i>Cortinarius anomalus</i> (Fr.) Fr.	2; 4; 5; 12; 18	IX-X	E	B	11	
<i>Cortinarius aureofulvus</i> M.M. Moser	4	X	E	B	1	BAV-CH-N-PL
<i>Cortinarius azureovelatus</i> P.D. Orton	2; 12; 18	IX	E	B	5	
<i>Cortinarius balaustinus</i> Fr.	2	IX	E	B	2	BAV-PL
<i>Cortinarius basiroseus</i> A. Pearson ex P.D. Orton	2	X	E	B	1	SK
<i>Cortinarius bivelus</i> (Fr.) Fr.	2	IX	E	B	1	BAV
<i>Cortinarius bovinus</i> Fr.	2	VII-IX	E	B	2	FIN-PL
<i>Cortinarius brunneus</i> (Pers.) Fr.	1; 2; 5; 13; 18	VII-VIII-IX	E	B	9	
<i>Cortinarius caeruleus</i> (Schaeff.) Fr.	2	X	E	B	1	BAV-BG-NMK-RUS-S-SK
<i>Cortinarius caesiocortinatus</i> Jul. Schäff.	4	IX	E	B	1	BAV-N-RUS-S
<i>Cortinarius calochrous</i> (Pers.) Gray	2; 4; 12	IX-X	E	B	4	N
<i>Cortinarius camphoratus</i> (Fr.) Fr.	2; 5; 12; 13; 18	VIII-IX	E	B	6	GB
<i>Cortinarius caninus</i> (Fr.) Fr.	2; 5; 12	VII-IX	E	B	4	
<i>Cortinarius caperatus</i> (Pers.) Fr.	1; 2; 5; 10; 13	VII-IX-X	E	B	7	BG-MNE-NMK-RUS
<i>Cortinarius casimirii</i> (Velen.) Huijsman	9	IX	E	B	1	PL
<i>Cortinarius cinnabarinus</i> Fr.	2; 5	IX-X	E	B	7	BAV-CH-FIN-N-RO-S
<i>Cortinarius cinnamomeus</i> (L.) Gray	4; 5; 12; 17	IX-X	E	B	5	PL
<i>Cortinarius citrinus</i> J.E. Lange ex P.D. Orton	2; 10	IX	E	B	2	BAV-RO-RUS-S
<i>Cortinarius colymbadinus</i> Fr.	1; 4; 13	V-VI-IX	E	B	4	
<i>Cortinarius cotoneus</i> Fr.	2	IX-X	E	B	2	BAV-CH-N-S
<i>Cortinarius croceocoeruleus</i> (Pers.) Fr.	2	IX	E	B	2	BAV-S
<i>Cortinarius croceus</i> (Schaeff.) Gray	2; 5; 12	VII-VIII-IX-X	E	B	6	PL
<i>Cortinarius decipiens</i> (Pers.) Fr.	4; 12	IX-X	E	B	2	PL
<i>Cortinarius delibutus</i> Fr.	2; 5; 18	VII-VIII-IX-X	E	B	7	
<i>Cortinarius duracinus</i> Fr.	2; 4; 5; 10; 12	IX-X	E	B	6	PL
<i>Cortinarius elatior</i> Fr.	2	IX	E	B	1	FIN
<i>Cortinarius elegantior</i> (Fr.) Fr.	12	IX-X	E	B	3	FIN-RUS-S
<i>Cortinarius fervidus</i> P.D. Orton	2	IX	E	B	1	BAV
<i>Cortinarius flabellus</i> (Fr.) Fr.	2; 12	IX	E	B	4	
<i>Cortinarius flexipes</i> (Pers.) Fr.	1; 2; 9	IX-X	E	B	5	
<i>Cortinarius fulvo-ochraceus</i> Rob. Henry	2	IX	E	B	1	SK
<i>Cortinarius gentilis</i> (Fr.) Fr.	4	IX	E	B	1	BAV

<i>Cortinarius glandicolor</i> (Fr.) Fr.	5; 12	VII-X	E	B	2	CH
<i>Cortinarius glaucopus</i> (Schaeff.) Gray	4; 12	X	E	B	2	
<i>Cortinarius griseolavandulus</i> Reumaux	2	IX	E	B	2	
<i>Cortinarius hercynicus</i> (Pers.) M.M. Moser	13; 18	IX	E	B	2	
<i>Cortinarius hinnuleus</i> Fr.	5	IX	E	B	1	
<i>Cortinarius illuminis</i> Fr.	2; 5; 15	VI-VIII-IX	E	B	3	BAV
<i>Cortinarius infractus</i> (Pers.) Fr.	2; 12; 13	IX-X	E	B	3	
<i>Cortinarius infractus</i> (Pers.) Fr. var. <i>obscurocyaneus</i> (Secr. ex J. Schröt.) Quadr.	12; 18	IX	E	B	2	
<i>Cortinarius ionophyllus</i> M.M. Moser	2	VII-IX	E	B	2	PL-S
<i>Cortinarius largus</i> Fr.	4; 10	IX	E	B	2	CH
<i>Cortinarius malicorius</i> Fr.	2; 5	IX	E	B	3	
<i>Cortinarius melanotus</i> Kalchbr.	10	IX	E	B	1	BAV-PL-S-SK
<i>Cortinarius montanus</i> Kauffman	13; 18	IX	E	B	2	
<i>Cortinarius multiformis</i> Fr.	2; 4; 5; 12	IX-X	E	B	8	PL
<i>Cortinarius ochroleucoides</i> Essl.	2	IX	E	B	1	
<i>Cortinarius olidus</i> J.E. Lange	10	IX	E	B	1	
<i>Cortinarius olivaceofuscus</i> Kühner	2	IX	E	B	2	BAV-FIN-N
<i>Cortinarius orellanoides</i> Rob. Henry	2; 13; 18; 28	VII-VIII-IX	E	B	7	RUS
<i>Cortinarius orichalceus</i> (Batsch) Fr.	4	IX-X	E	B	3	N-S
<i>Cortinarius papulosus</i> Fr.	2	IX	E	B	1	BAV-CH
<i>Cortinarius paragaudis</i> Fr.	2, 4	IX	E	B	2	BAV
<i>Cortinarius percomis</i> Fr.	4; 5; 12	IX-X	E	B	4	RO
<i>Cortinarius piceae</i> Frøslev, T.S. Jeppesen & Brandrud	4	IX-X	E	B	2	FIN
<i>Cortinarius poecilopus</i> Rob. Henry	12	IX	E	B	1	
<i>Cortinarius porphyropus</i> (Alb. & Schwein.) Fr.	13; 18	IX	E	B	2	CH-GB-PL
<i>Cortinarius praestans</i> (Cordier) Gillet	10	IX	E	B	1	BAV-BG-CZ-GB-HR-IS-N-RO-RUS-S-SLO
<i>Cortinarius purpurascens</i> Fr.	1; 2	VII-IX	E	B	2	BAV-RUS
<i>Cortinarius rapaceus</i> Fr.	4	X	E	B	1	BAV-CH-NMK
<i>Cortinarius raphanoides</i> (Pers.) Fr.	9	IX	E	B	1	BAV-CH
<i>Cortinarius renidens</i> Fr.	2	VII-VIII-VIX	E	B	4	
<i>Cortinarius salor</i> Fr.	5; 12; 13	VIII-IX-X	E	B	5	FIN-RUS-N
<i>Cortinarius sanguineus</i> (Wulfen) Gray	2; 5; 12; 13; 17; 18; 28	VII-VIII-IX-X	E	B	17	RUS
<i>Cortinarius scaurus</i> (Fr.) Fr.	2; 5; 12	VII-IX	E	B	8	BAV
<i>Cortinarius simulatus</i> P.D. Orton	28	VII	E	B	1	
<i>Cortinarius solis-occasus</i> Melot	4	IX	E	B	1	CH
<i>Cortinarius spilomeus</i> (Fr.) Fr.	2; 5; 12; 13; 18	IX-X	E	B	7	
<i>Cortinarius splendens</i> Rob. Henry	4	X	E	B	1	GB
<i>Cortinarius stillatitius</i> Fr.	4	IX	E	B	1	
<i>Cortinarius strenuipes</i> Rob. Henry	12	IX	E	B	1	
<i>Cortinarius subpurpurascens</i> (Batsch) J. Kickx f.	9	IX	E	B	1	
<i>Cortinarius subtigrinus</i> Reumaux	2; 28	VII-IX	E	B	2	
<i>Cortinarius subtortus</i> (Pers.) Fr.	12	X	E	B	1	
<i>Cortinarius tabularis</i> (Fr.) Fr.	2	IX	E	B	3	PL
<i>Cortinarius talus</i> Fr.	2	IX-X	E	B	2	BAV-CH
<i>Cortinarius torvus</i> (Fr.) Fr.	2; 10	IX-X	E	B	2	
<i>Cortinarius transiens</i> (Melot) Soop.	18	IX	E	B	1	
<i>Cortinarius trivialis</i> J.E. Lange	1; 12; 20	IX-X	E	B	4	CH
<i>Cortinarius turgidus</i> Fr.	2; 4; 9; 12	VIII-IX-X	E	B	9	BAV-N-S
<i>Cortinarius turibulosus</i> (Jul. Schäff. & E. Horak) Bon & G. Garnier	13	X	E	B	1	BAV
<i>Cortinarius umbrinolens</i> P.D. Orton	2	IX	E	B	1	PL
<i>Cortinarius uraceus</i> Fr.	5	VI-VIII-IX	E	B	2	PL
<i>Cortinarius variipes</i> Rob. Henry	18	IX	E	B	1	RUS
<i>Cortinarius varius</i> (Schaeff.) Fr.	4	IX	E	B	1	
<i>Cortinarius venetus</i> (Fr.) Fr.	2; 4; 5; 8	IX	E	B	5	FIN-RUS
<i>Cortinarius vernus</i> H. Lindstr. & Melot	1	V	E	B	1	
<i>Cortinarius vibratilis</i> (Fr.) Fr.	2; 5	IX-X	E	B	2	
<i>Cotylidia pannosa</i> (Sowerby) D.A. Reid	2; 18	IX	S	B	5	BAV-BG-CZ-GB-HR-IP-PL-S
<i>Craterellus cinereus</i> (Pers.) Pers.	2; 5; 9	VIII-IX-X	E	B	12	MNE-N-RO
<i>Craterellus cornucopioides</i> (L.) Pers.	1; 2; 5; 9; 13; 18; 28	VII-VIII-IX	E	B	16	AL-MNE-NMK-RUS
<i>Craterellus lutescens</i> (Fr.) Fr.	5	VII-IX	E	B	3	MNE-RO
<i>Craterellus tubaeformis</i> (Fr.) Quél.	2; 5; 12; 13; 18	VIII-IX-X	E	B	13	
<i>Craterellus undulatus</i> (Pers.) Redeuilh	2; 9	IX	E	B	2	N
<i>Crepidotus appianatus</i> (Pers.) P. Kumm.	1; 2; 12; 18	IX	S	B	5	
<i>Crucibulum laeve</i> (Huds.) Kambly	2; 12	VIII-IX	S	B	3	
<i>Cudonia circinans</i> (Pers.) Fr.	2	VII	S	A	2	BAV-CZ-GB-HR-MNE-NMK-PL-RO
<i>Cuphophyllum fornicatus</i> (Fr.) Lodge, Padamsee & Vizzini	12	XI	S	B	1	CH
<i>Cyathicula cyathoidea</i> (Bull.) Thüm.	6	X	S	A	1	
<i>Cyathus striatus</i> (Huds.) Willd.	1; 2; 9; 18	VII-VIII-IX-X	S	B	10	
<i>Cystoagaricus sylvestris</i> (Gillet) Örstadius & E. Larss.	2	VII	S	B	1	CH-FIN-PL
<i>Cystoderma amianthinum</i> (Scop.) Fayod	2; 5; 12; 13; 17	VII-VIII-IX-X	S	B	11	AM-RUS
<i>Cystoderma amianthinum</i> (Scop.) Fayod var. <i>rugosoreticulatum</i> (F. Lorinser) Bon	2; 5	IX	S	B	3	
<i>Cystoderma carcharias</i> (Pers.) Fayod	1; 2; 17; 18	VII-IX-X	S	B	4	
<i>Cystoderma jasonis</i> (Cooke & Masee) Harmaja	2; 5; 13	VII-VIII-IX-X	S	B	4	
<i>Cystoderma jasonis</i> (Cooke & Masee) Harmaja var. <i>farinolens</i> Romagn.	5	IX	S	B	1	
<i>Cystoderma subvinaceum</i> A.H. Sm.	12	X	S	B	1	BAV-IP-PL
<i>Cystoderma mella terryi</i> (Berk. & Broome) Bellù	2	VII-VIII	S	B	2	CH-RUS
<i>Cystolepiota aspera</i> (Pers.) Bon	2; 5; 12; 13	VII-VIII-IX-X	S	B	8	
<i>Cystolepiota echinacea</i> (J.E. Lange) Knudsen	13	X	S	B	1	PL
<i>Cystolepiota perplexa</i> (Knudsen) Bon	5	VII	S	B	1	
<i>Cystolepiota seminuda</i> (Lasch) Bon	15	X	S	B	1	N
<i>Dacrymyces chrysospermus</i> Berk. & M.A. Curtis	9	VIII	S	B	1	PL
<i>Dacryobolus sudans</i> (Alb. & Schwein.) Fr.	9; 17		S	B	3	CH-PL
<i>Daedalea quercina</i> (L.) Pers.	9		S	B	1	EST-RUS
<i>Daedaleopsis confragosa</i> (Bolton) J. Schröt.	1; 4; 6; 9; 24	V-VI-IX	S	B	6	EST
<i>Dasyscyphella nivea</i> (R. Hedw.) Raitv.	28	VII	S	A	1	

<i>Deconica phyllogena</i> (Sacc.) Noordel.	2; 5	VII	S	B	2	PL
<i>Dentipellis fragilis</i> (Pers.) Donk	18	IX	S	B	2	BAV-CH-CZ-HR-EST-IP-N-NMK-PL-RUS-S-SLO
<i>Diatrype disciformis</i> (Hoffm.) Fr.	2	VII	S	A	1	
<i>Discina ancilis</i> (Pers.) Sacc.	1; 2	V-VI	S	A	9	BG-IP-RO-RUS
<i>Ditola peziziformis</i> (Lév.) D.A. Reid	13	IX	S	B	1	PL-S
<i>Entocybe turbida</i> (Fr.) T.J. Baroni, V. Hofst. & Largent	5	X	S	B	1	BAV-PL
<i>Entoloma byssisedum</i> (Pers.) Donk	2	IX	S	B	2	BAV-FIN-PL-SK
<i>Entoloma cetratum</i> (Fr.) M.M. Moser	2; 5; 10; 12; 13	VI-VII-X	S	B	6	
<i>Entoloma conferendum</i> (Britzelm.) Noordel.	2; 12	VI-VII-VIII-IX	S	B	6	
<i>Entoloma hirtipes</i> (Schumach.) M.M. Moser	1; 2; 13	IV-V	S	B	6	
<i>Entoloma juncinum</i> (Kühner & Romagn.) Noordel.	13	IX	S	B	1	PL
<i>Entoloma longistriatum</i> (Peck) Noordel.	28	VII	S	B	1	FIN
<i>Entoloma placidum</i> (Fr.) Noordel.	2	IX	S	B	1	BAV-CH-PL
<i>Entoloma rhodopolium</i> (Fr.) P. Kumm.	1; 2; 13	VII-VIII-IX	S	B	7	FIN
<i>Entoloma rhodopolium</i> (Fr.) P. Kumm. var. <i>nidorosum</i> (Fr.) Krieglst.	2; 12; 13	IX	S	B	5	
<i>Entoloma scabiosum</i> (Fr.) Quél.	2	VII	S	B	1	BAV-CH
<i>Entoloma testaceum</i> (Bres.) Noordel.	2	V	S	B	1	BAV-FIN
<i>Entoloma vernum</i> S. Lundell	1	V-VI	S	B	2	
<i>Exidia glandulosa</i> (Bull.) Fr.	1; 12	V	S	B	4	PL
<i>Exidia nigricans</i> (With.) P. Roberts	2	V	S	B	1	
<i>Exidia recisa</i> (Ditmar) Fr.	1	V	S	B	3	PL
<i>Exidiopsis effusa</i> (Bref. ex Sacc.) Möller	2	III	S	B	1	
<i>Flammulaster carpophilus</i> (Fr.) Earle ex Vellinga	1; 2	V-VII	S	B	4	CH-PL
<i>Flammulaster limulatus</i> (Fr.) Watling	13; 18	IX	S	B	2	BAV-CH-GB
<i>Flammulina velutipes</i> (Curtis) Singer	14	IV	S	B	1	
<i>Fomes fomentarius</i> (L.) Fr.	2; 9; 10; 12; 13; 18	IV-VI-VII-VIII-IX	P	B	8	EST
<i>Fomitopsis betulina</i> (Bull.) B.K. Cui, M.L. Han & Y.C. Dai	9		S-P	B	1	EST
<i>Fomitopsis pinicola</i> (Sw.) P. Karst.	1; 2; 5; 18	V-VI-VII-VIII-IX-X	S	B	12	EST
<i>Fuligo septica</i> (L.) F.H. Wigg.	2; 13	VI-VII-VIII	B	M	5	
<i>Fuscoporia ferruginosa</i> (Schrad.) Murrill	2; 5	VII-VIII	P	B	2	FIN-N-PL
<i>Galerina ampullaceocystis</i> P.D. Orton	2	VII	S	B	1	PL
<i>Galerina marginata</i> (Batsch) Kühner	1; 2; 9; 12; 17	IX-X-XI	S	B	8	
<i>Galerina paludosa</i> (Fr.) Kühner	2	VII	P	B	1	BG-CZ-HR-IP-PL-RUS
<i>Galerina stylifera</i> (G.F. Atk.) A.H. Sm. & Singer	2; 12	IX-X	S	B	2	PL
<i>Galerina triscopa</i> (Fr.) Kühner	2; 13	V-VII-IX-X-XI	S	B	6	PL
<i>Galerina vittiformis</i> (Fr.) Singer	2	VI-VII	P	B	3	
<i>Galerina vittiformis</i> (Fr.) Singer f. <i>tetraspora</i> Arnolds	25	VII	P	B	1	
<i>Galzinia incrustans</i> Parmasto	17;		S	B	1	CH
<i>Ganoderma applanatum</i> (Pers.) Pat.	1; 2; 9; 13; 17; 18	VII-VIII-IX	P	B	12	EST
<i>Ganoderma lucidum</i> (Curtis) P. Karst.	5; 9	IX	S	B	2	EST-LV-PL-RUS-SLO
<i>Gautieria otthii</i> Trog	2	VII	E	B	1	FIN
<i>Geastrum fimbriatum</i> Fr.	1; 5; 12; 13; 18	V-VII-VIII-IX-XI	S	B	10	AL-N-PL-RUS
<i>Geastrum fornicatum</i> (Huds.) Hook.	25	VII	S	B	1	BAV-MNE-N-PL-RUS-S
<i>Geastrum pectinatum</i> Pers.	12	V	S	B	1	BAV-LV-N-PL-RO-RUS
<i>Gloeocystidiellum porosum</i> (Berk. & M.A. Curtis) Donk	17		S	B	1	
<i>Gloeophyllum odoratum</i> (Wulfen) Imazeki	1; 2; 5; 12; 13; 17	V-VI-VII-IX-XI	S	B	9	EST-GB-MNE
<i>Gliothele citrina</i> (Pers.) Ginns & G.W. Freeman	9		S	B	1	
<i>Gomphidius glutinosus</i> (Schaeff.) Fr.	5; 9; 13	VII-VIII-X	E	B	3	PL
<i>Gomphus clavatus</i> (Pers.) Gray	5	IX	E	B	1	BAV-BG-EST-FIN-GB-LV-MNE-N-PL-RO-RUS-S-SK-SLO
<i>Guepinia helvelloides</i> (DC.) Fr.	1; 5; 10; 12; 13	VII-VIII-IX-X-XI	S	B	10	AL-BG-EST-LV-N-PL-RO
<i>Gymnopilus bellulus</i> (Peck) Murrill	1	VII	S	B	1	CZ-FIN-HR-IP-RO
<i>Gymnopilus penetrans</i> (Fr.) Murrill	5; 9; 12	VIII-IX-X-XI	S	B	9	
<i>Gymnopilus sapineus</i> (Fr.) Murrill	2; 5; 12	IX-X	S	B	5	
<i>Gymnopus alkalivirens</i> (Singer) Halling	5; 15	V	S	B	2	RO
<i>Gymnopus androsaceus</i> (L.) Della Magg. & Trassin.	2; 5; 18	VI-VII-VIII-IX-XI	S	B	5	
<i>Gymnopus aquosus</i> (Bull.) Antonín & Noordel	1; 2; 5; 11; 13; 18	V-VI-VII-VIII-IX	S	B	14	
<i>Gymnopus brassicolens</i> (Romagn.) Antonín & Noordel.	1; 18	IX	S	B	2	N-RO-S
<i>Gymnopus confluens</i> (Pers.) Antonín, Halling & Noordel.	2; 5; 11	VII-IX	S	B	3	
<i>Gymnopus dryophilus</i> (Bull.) Murrill	1; 2	VII-IX	S	B	2	
<i>Gymnopus hariolarum</i> (Bull.) Antonín, Halling & Noordel.	13	V-VI-VII	S	B	3	FIN-MNE-N-S
<i>Gymnopus ocior</i> (Pers.) Antonín & Noordel.	5; 13	VI-VII	S	B	5	PL
<i>Gymnopus perforans</i> (Hoffm.) Antonín & Noordel.	1; 2; 5; 12; 13; 17; 18	V-VI-VII-VIII-IX-X-XI	S	B	17	
<i>Gymnopus peronatus</i> (Bolton) Gray	1; 2; 5; 18	VII-IX-X	S	B	7	
<i>Hapalopilus rutilans</i> (Pers.) Murrill	22		S	B	1	
<i>Hebeloma crustuliniforme</i> (Bull.) Quél.	2; 10; 12; 13	IX-X	E	B	5	
<i>Hebeloma laterinum</i> (Batsch) Vesterh.	2	IX-X	E	B	2	FIN
<i>Hebeloma leucosarx</i> P.D. Orton	9	IX	E	B	1	
<i>Hebeloma radicosum</i> (Bull.) Ricken	2	X	E	B	1	N-PL
<i>Hebeloma sacchariolens</i> Quél.	1; 9	VII-IX	E	B	2	AL-N
<i>Hebeloma sinapizans</i> (Paulet) Gillet	2; 5; 10	IX	E	B	3	
<i>Helvella acetabulum</i> (L.) Quél.	1; 13	V-VI-VII	E	A	4	RO-RUS
<i>Helvella atra</i> J. König	2	VII	E	A	1	BG-MNE-NMK-RO
<i>Helvella costifera</i> Nannf.	1	IX	E	A	1	
<i>Helvella crispa</i> (Scop.) Fr.	5; 12; 13	VII-VIII-IX-X	E	A	6	RUS-SK
<i>Helvella elastica</i> Bull.	1; 2; 12; 18	VII-IX	E	A	5	RUS
<i>Helvella lacunosa</i> Afzel.	2; 5; 27	VII-IX	E	A	4	PL-RUS
<i>Helvella macropus</i> (Pers.) P. Karst.	2; 5; 9; 12; 27	VII-VIII-IX	E	A	10	
<i>Helvella pithyophila</i> Boud.	5	VIII	E	A	1	SK
<i>Hemimycena gracilis</i> (Quél.) Singer	1; 2; 13; 18	V-VI-VII-IX	S	B	6	
<i>Heterobasidion annosum</i> (Fr.) Bref.	1; 2; 9; 17; 23	V-VI-VII-VIII-IX-X	P	B	9	EST
<i>Homophron spadiceum</i> (P. Kumm.) Örstadius & E. Larss.	9		S	B	1	CH
<i>Humaria hemisphaerica</i> (F.H. Wigg.) Fuckel	2; 12; 13; 26; 27	VII-VIII-IX	S	A	11	
<i>Hydnoria tulasnei</i> (Berk.) Berk. & Broome	2	VII	E	A	2	BG-RUS
<i>Hydnum repandum</i> L.	1; 2; 5; 9; 12; 17	VII-VIII-IX-X	E	B	10	RUS
<i>Hydnum rufescens</i> Pers.	1; 2; 5; 9; 13; 18	VII-VIII-IX	E	B	11	MNE

<i>Inonotus hastifer</i> Pouzar	9; 22		P	B	2	PL
<i>Isaria farinosa</i> (Holmsk.) Fr.	2	VII-VIII	P	A	2	
<i>Jaapia ochroleuca</i> (Bres.) Nannf. & J. Erikss.	17; 23		S	B	2	CZ-HR
<i>Jackrogersella cohaerens</i> (Pers.) L. Wendt, Kuhnert & M. Stadler	9	X	S	A	1	
<i>Kretzshmaria deusta</i> (Hoffm.) P.M.D. Martin	2	V-VI	S	A	2	N
<i>Kuehneromyces lignicola</i> (Peck) Redhead	2	V-VI	S	B	3	BAV-CZ-EST-HR
<i>Kuehneromyces mutabilis</i> (Schaeff.) Singer & A.H. Sm.	1; 2; 5; 9; 13; 18; 25; 28	V-VI-VII-VIII-IX	S	B	21	
<i>Kurtia argillacea</i> (Bres.) Karasiński	17		S	B	2	
<i>Laccaria amethystina</i> Cooke	1; 2; 5; 12; 13; 18	VII-VIII-IX-X	E	B	16	RUS
<i>Laccaria laccata</i> (Scop.) Cooke	1; 2; 5; 13	VII-VIII-IX	E	B	10	
<i>Laccaria laccata</i> (Scop.) Cooke var. <i>pallidifolia</i> (Peck) Peck	1; 2; 12; 18; 25	VII-VIII-IX	E	B	7	
<i>Laccaria proxima</i> (Boud.) Pat.	2; 5	VIII-IX	E	B	5	
<i>Lachnella villosa</i> (Pers.) Donk	2	VII	S	B	1	
<i>Lachnellula subtilissima</i> (Cooke) Dennis	2; 17	III-VII	S	A	3	
<i>Lachnum bicolor</i> (Bull.) P. Karst.	14	IV	S	A	1	
<i>Lachnum sulphureum</i> (Fuckel) P. Karst.	2	VII	S	A	1	
<i>Lachnum virgineum</i> (Batsch) P. Karst.	2	VII	S	A	1	
<i>Lacrymaria lacrymabunda</i> (Bull.) Pat.	28	VII	S	B	1	
<i>Lacrymaria pyratricha</i> (Holmsk.) Konrad & Maubl.	1; 12	VII-IX	S	B	2	
<i>Lactarius acris</i> (Bolton) Gray	1; 5; 10; 18	IX	E	B	4	CZ-HR-MNE-N-NMK-S-SK
<i>Lactarius albocarneus</i> Britzelm.	2; 10; 12	VIII-IX-X	E	B	8	NMK
<i>Lactarius azonites</i> (Bull.) Fr.	1	VIII	E	B	1	CH-N-NMK-RUS
<i>Lactarius badiosanguineus</i> Kühner & Romagn.	2; 5; 12; 13; 18	VII-VIII-IX-X-XI	E	B	9	
<i>Lactarius blennius</i> (Fr.) Fr.	1; 2; 5; 9; 12; 13; 18; 28	VII-VIII-IX-X	E	B	17	
<i>Lactarius britannicus</i> Romagn.	1; 2	VI-VII-VIII-IX	E	B	5	
<i>Lactarius camphoratus</i> (Bull.) Fr.	1; 2; 5; 13	VII-VIII-IX-XI	E	B	8	
<i>Lactarius deliciosus</i> (L.) Gray	5; 12; 13	VIII-X	E	B	3	NMK-RUS
<i>Lactarius deterrimus</i> Gröger	1; 2; 5; 10; 12; 13; 17; 18; 28	VII-VIII-IX-X-XI	E	B	18	NMK-RUS
<i>Lactarius fluens</i> Boud.	1; 2; 5; 12; 18; 28	VII-IX	E	B	9	
<i>Lactarius fuliginosus</i> (Fr.) Fr.	1; 2; 5; 12; 18	IX	E	B	7	MNE
<i>Lactarius glyciosmus</i> (Fr.) Fr.	5	IX	E	B	1	
<i>Lactarius intermedius</i> Krombh. ex Berk. & Broome	2; 10; 12; 18	IX-X	E	B	4	BAV
<i>Lactarius lignyotus</i> Fr.	2; 5; 18	VII-IX	E	B	4	RUS
<i>Lactarius pallidus</i> Pers.	1; 2; 9; 18	VIII-IX-X	E	B	10	
<i>Lactarius picinus</i> Fr.	2; 5; 13	VII-VIII-IX-X	E	B	5	RO
<i>Lactarius pterosporus</i> Romagn.	1; 2; 5; 12	VII-VIII-IX	E	B	6	N
<i>Lactarius pyrogalus</i> (Bull.) Fr.	4; 5; 13	IX-X	E	B	3	
<i>Lactarius romagnesii</i> Bon	1	VII	E	B	1	BAV-CH
<i>Lactarius rubrocinctus</i> Fr.	1; 2; 10; 11; 13; 18	VII-IX	E	B	10	S
<i>Lactarius ruginosus</i> Romagn.	2; 9	VIII-IX	E	B	6	BAV-CH
<i>Lactarius salmonicolor</i> A.W. Wilson & G.M. Muell.	2; 12; 17; 18; 28	VII-IX-X	E	B	16	BAV-RO
<i>Lactarius scrobiculatus</i> (Scop.) Fr.	2; 5; 12; 17; 18; 28	VII-IX-X	E	B	10	RUS
<i>Lactarius seriffius</i> (DC.) Fr.	13	VIII	E	B	1	
<i>Lactarius subdulcis</i> (Pers.) Gray	1; 2; 9; 11; 12; 13; 18	VII-VIII-IX-X	E	B	14	
<i>Lactarius uvidus</i> (Fr.) Fr.	5; 10	IX	E	B	2	BAV-RO
<i>Lactarius violascens</i> (J. Otto) Fr.	2; 5; 18	VIII-IX	E	B	3	BAV-FIN-N-NMK-PL-S
<i>Lactifluus bertillonii</i> (Neuhoff ex Z. Schaeff.) Verbeke	1; 2; 10; 18	IX	E	B	4	BAV-CH
<i>Lactifluus glaucescens</i> (Crossl.) Verbeke	1; 2; 13; 18; 25; 28	VII-VIII-IX	E	B	10	CH-RUS
<i>Lactarius piperatus</i> (L.) Pers.	1; 2; 5; 13	VII-VIII-IX	E	B	11	
<i>Lactifluus vellereus</i> (Fr.) Kuntze	1; 2; 5; 9; 12; 13	VII-VIII-IX-X	E	B	15	
<i>Lactifluus volemus</i> (Fr.) Kuntze	1; 2; 5; 13; 28	VII-VIII-IX	E	B	11	BAV-MNE-NMK-RUS-SK
<i>Laetiporus sulphureus</i> (Bull.) Murrill	9		S	B	1	RUS
<i>Laxitextum bicolor</i> (Pers.) Lentz	9		S	B	2	
<i>Leccinum rufum</i> (Schaeff.) Kreisel	4; 13	VII-IX	E	B	3	
<i>Lentinellus cochleatus</i> (Pers.) P. Karst.	2	VII-VIII-IX	S	B	6	
<i>Lentinellus cochleatus</i> (Pers.) P. Karst. var. <i>inolens</i> Konrad & Maubl.	2	VIII	S	B	1	
<i>Lentinellus micheneri</i> (Berk. & M.A. Curtis) Pegler	5	VI-IX	S	B	2	BAV
<i>Lentinus tigrinus</i> (Bull.) Fr.	6	VI	S	B	1	BAV-PL-S
<i>Lenzites betulinus</i> (L.) Fr.	9		S	B	1	EST
<i>Leotia lubrica</i> (Scop.) Pers.	1; 2; 4; 5; 10	IX-X	S	A	6	BG-RO-RUS
<i>Lepiota castanea</i> Quéf.	2	IX-X	S	B	1	
<i>Lepiota clypeolaria</i> (Bull.) P. Kumm.	1; 2; 5; 9; 12; 18	VII-VIII-IX-X	S	B	14	
<i>Lepiota cristata</i> (Bolton) P. Kumm.	5; 12; 13	VII-IX-X	S	B	8	
<i>Lepiota felina</i> (Pers.) P. Karst.	2	IX	S	B	2	N
<i>Lepiota fuscovinacea</i> F.H. Möller & J.E. Lange	10	IX	S	B	1	BAV-CH-FIN-N-S
<i>Lepiota magnispora</i> Murrill	1; 2; 12; 13; 18	VII-VIII-IX-X	S	B	14	
<i>Lepiota subincarnata</i> J.E. Lange	18	IX	S	B	1	BAV-FIN
<i>Lepista densifolia</i> (J. Favre) Singer & Cléménçon	2; 5; 12	IX-X	S	B	6	BAV-S
<i>Lepista glaucocana</i> (Bres.) Singer	1; 4; 5; 13	IX	S	B	6	
<i>Lepista nuda</i> (Bull.) Cooke	2; 13	IX-X	S	B	2	BAV-CH-RUS
<i>Lepista ricekii</i> Bon	5	IX	S	B	1	
<i>Lepista sordida</i> (Schumach.) Singer	1	VII	S	B	1	
<i>Lepista sordida</i> (Schumach.) Singer var. <i>lilacea</i> (Quéf.) Bon	6	X	S	B	1	
<i>Leptosphaeria acuta</i> (Fuckel) P. Karst.	5	VII	S	A	1	
<i>Leptosphaeria doliolum</i> (Pers.) Ces. & De Not.	1; 2; 5; 6	V-VII-X	S	A	4	
<i>Leptosporomyces septentrionalis</i> (J. Erikss.) Krieglst.	17		S	B	2	
<i>Leucangium carthusianum</i> (Tul. & C. Tul.) Paol.	12	IX	E	A	1	
<i>Limacella delicata</i> (Fr.) Earle ex Konrad & Maubl.	2	VII-IX	S	B	2	BAV-BG-PL-RUS
<i>Limacellopsis guttata</i> (Pers.) Zhu L. Yang, Q. Cai & Y.Y. Cui	4	IX-X	S	B	2	BAV-BG-CZ-FIN-HR-MNE-NMK-PL-SK
<i>Lycogala conicum</i> Pers.	2	VII	B	M	2	
<i>Lycogala epidendrum</i> (J.C. Buxb. ex L.) Fr.	2	VI-VII	B	M	3	
<i>Lycogala terrestre</i> Fr.	2; 11; 18	VII-VIII-IX	B	M	3	
<i>Lycoperdon echinatum</i> Pers.	2; 5; 13; 18	VII-VIII-IX	S	B	8	EST-N-PL-RO-RUS
<i>Lycoperdon excipuliforme</i> (Scop.) Pers.	28	VII	S	B	1	
<i>Lycoperdon molle</i> Pers.	2; 5	IX-X	S	B	4	

<i>Lycoperdon nigrescens</i> Pers.	2	VIII	S	B	1	
<i>Lycoperdon perlatum</i> Pers.	1; 2; 5; 12; 13; 18	VI-VII-VIII-IX-X-XI	S	B	21	
<i>Lycoperdon pratense</i> Pers.	8	VIII	S	B	1	
<i>Lycoperdon umbrinum</i> Pers.	1; 12; 17	IX-XI	S	B	4	
<i>Lyophyllum caeruleascens</i> Cléménçon ex Kibby	13	IX	E	B	1	BAV
<i>Lyophyllum connatum</i> (Schumach.) Singer	5; 10; 12	IX-X	S	B	4	RUS
<i>Lyophyllum daonense</i> Ruini	12	X	E	B	1	
<i>Lyophyllum decastes</i> (Fr.) Singer	12	IX	E	B	1	RUS
<i>Lyophyllum deliberatum</i> (Britzelm.) Kreisel	2; 18	IX	E	B	2	PL
<i>Macrocystidia cucumis</i> (Pers.) Joss.	6; 12	IX-X	S	B	3	FIN
<i>Macrolepiota fuliginosa</i> (Barla) Bon	1	IX	S	B	1	
<i>Macrolepiota procera</i> (Scop.) Singer	1; 5; 13	VII-IX	S	B	9	RUS
<i>Marasmiellus candidus</i> (Fr.) Singer	1; 5; 9	VII-VIII-IX	S	B	5	BAV-CH
<i>Marasmius bulliardii</i> Quél.	2; 13	V-VI-VII-VIII	S	B	7	
<i>Marasmius cohaerens</i> (Pers.) Cooke & Quél.	1; 2; 12; 18	VI-VII-VIII-IX	S	B	11	
<i>Marasmius oreades</i> (Bolton) Fr.	2; 5; 13; 18	V-VI-IX	S	B	8	
<i>Marasmius rotula</i> (Scop.) Fr.	1; 2; 13	VII-IX	S	B	3	
<i>Marasmius torquescens</i> Quél.	2; 5; 9; 13; 18	VII-IX	S	B	7	FIN-N
<i>Marasmius wettsteinii</i> Sacc. & P. Syd.	1; 2; 13	VI-VII-VIII-IX	S	B	9	
<i>Marasmius wynneae</i> Berk. & Broome	1; 2; 5; 18	VIII-IX	S	B	7	EST-LV-FIN-N
<i>Megacollybia platyphylla</i> (Pers.) Kotl. & Pouzar	1; 2; 5; 9; 11; 13; 18	V-VI-VII-VIII-IX	S	B	19	
<i>Melanoleuca brevipes</i> (Bull.) Pat.	12	X	S	B	1	
<i>Melanoleuca cognata</i> (Fr.) Konrad & Maubl.	1; 13	IV-V-VIII	S	B	4	
<i>Melanoleuca subalpina</i> (Britzelm.) Bresinsky & Stangl	2; 5; 13	V-VI-VII-VIII	S	B	10	FIN
<i>Melastiza chateri</i> (W.G. Sm.) Boud.	2	VII	S	A	1	BG
<i>Marchella deliciosa</i> Fr.	1; 12	V	S-E	A	4	
<i>Marchella elata</i> Fr.	1; 13	V	S-E	A	2	BG-MNE-NMK-PL-RO-RUS
<i>Marchella esculenta</i> (L.) Pers.	1	V	S-E	A	1	RUS
<i>Marchella vulgaris</i> (Pers.) Gray	12	V	S-E	A	1	
<i>Mucidula mucida</i> (Schrad.) Pat.	1; 2; 5; 9; 12	V-VI-VII-IX	S	B	9	
<i>Mutinus caninus</i> (Huds.) Fr.	2; 26	VII-VIII-X	S	B	3	BG-EST-FIN-MNE-N-NMK-RO-RUS
<i>Mycena abramsii</i> (Murrill) Murrill	1; 2; 13	V-VI-VII-VIII	S	B	9	AL
<i>Mycena acicula</i> (Schaeff.) P. Kumm.	2	VII	S	B	1	
<i>Mycena amicta</i> (Fr.) Quél.	1; 2	V-VI-VII-VIII-IX	S	B	9	
<i>Mycena aurantiomarginata</i> (Fr.) Quél.	2; 5	VII-IX	S	B	3	PL
<i>Mycena citrinomarginata</i> Gillet	2	VII	S	B	1	
<i>Mycena crocata</i> (Schrad.) P. Kumm.	1; 2; 13	V-VII-IX-X	S	B	9	N-PL-RO
<i>Mycena diosma</i> Krieglst. & Schwöbel	2	X	S	B	1	
<i>Mycena epipterygia</i> (Scop.) Gray	2; 5; 9	IX	S	B	4	
<i>Mycena flavescens</i> Velen.	13; 18	VIII-IX	S	B	2	FIN-PL
<i>Mycena flos-nivium</i> Kühner	17	IV-V-XI	S	B	4	
<i>Mycena galericulata</i> (Scop.) Gray	2; 5; 9; 12; 13	V-VI-VII-VIII-IX-X	S	B	8	
<i>Mycena galopus</i> (Pers.) P. Kumm.	1; 2; 5; 12; 13; 17	V-VI-VII-IX-XI	S	B	17	
<i>Mycena haematopus</i> (Pers.) P. Kumm.	1; 2; 5; 13; 18	V-VIII-IX	S	B	12	
<i>Mycena inclinata</i> (Fr.) Quél.	12	X	S	B	1	
<i>Mycena leptcephala</i> (Pers.) Gillet	1; 2; 12; 13; 17	V-VI-VII-VIII	S	B	12	
<i>Mycena metata</i> (Secr. ex Fr.) P. Kumm.	9	IX	S	B	1	
<i>Mycena pelianthina</i> (Fr.) Quél.	1; 2; 9; 11; 13; 18	VII-VIII-IX	S	B	14	FIN-N-PL-RUS
<i>Mycena plumipes</i> (Kalchbr.) P.-A. Moreau	1; 2; 5	V	S	B	6	PL-RUS
<i>Mycena polygramma</i> (Bull.) Gray	1; 12	IX-X	S	B	3	
<i>Mycena pura</i> (Pers.) P. Kumm.	1; 2; 5; 11; 12; 13; 18	V-VI-VII-VIII-IX-X-XI	S	B	22	
<i>Mycena renati</i> Quél.	1; 2; 5; 13	V-VII-VIII	S	B	8	GB-FIN-N-PL
<i>Mycena romagnesiana</i> Maas Geest.	9	IX	S	B	1	AL
<i>Mycena rosea</i> Gramberg	1; 2; 5; 9; 12; 25	V-VII-IX	S	B	13	
<i>Mycena rosella</i> (Fr.) P. Kumm.	1; 4; 5; 12; 13; 17	VI-VII-IX-XI	S	B	7	
<i>Mycena rubromarginata</i> (Fr.) P. Kumm.	2	VII-VIII-IX	S	B	8	
<i>Mycena sanguinolenta</i> (Alb. & Schwein.) P. Kumm.	1; 2; 12; 13	V	S	B	9	
<i>Mycena silvae-nigrae</i> Maas Geest. & Schwöbel	2	V	S	B	1	
<i>Mycena stipitata</i> Maas Geest. & Schwöbel	2	VII-VIII	S	B	2	
<i>Mycena stylobates</i> (Pers.) P. Kumm.	1; 2	V-VI-VII-VIII-IX	S	B	4	
<i>Mycena viridimarginata</i> P. Karst.	1; 2; 12; 20	V-VI-VII-IX-XI	S	B	8	
<i>Mycena viscosa</i> Secr. ex Maire	2; 12; 13	V-VII	S	B	11	
<i>Mycena vitilis</i> (Fr.) Quél.	1; 2	X	S	B	3	
<i>Mycena vulgaris</i> (Pers.) P. Kumm.	4; 13	IX-X	S	B	3	
<i>Mycena zephrus</i> (Fr.) Quél.	2; 4; 5; 18	VII-VIII-IX-X	S	B	5	
<i>Mycena xantholeuca</i> Kühner	1	IX	S	B	1	PL
<i>Mycetinis alliaceus</i> (Jacq.) Earle ex A.W. Wilson & Desjardin	1; 2; 5; 9; 11; 12; 13; 18	V-VI-VII-VIII-IX-X	S	B	25	
<i>Mycetinis scorodonius</i> (Fr.) A.W. Wilson & Desjardin	1; 2; 5; 13	V-VI-VII-IX	S	B	10	GB
<i>Nectria cinnabarina</i> (Tode) Fr.	10	IV	S	A	1	
<i>Neoboletus erythropus</i> (Pers.) C. Hahn	1; 2; 5	VII-IX	E	B	5	LV-RUS
<i>Neobulgaria pura</i> (Pers.) Petr.	2	IX	S	A	2	
<i>Neodasyscypha cerina</i> (Pers.) Spooner	5	VII	S	A	1	
<i>Neolentinus adhaerens</i> (Alb. & Schwein.) Redhead & Ginns	28	VII	S	B	1	
<i>Neonectria fuckeliana</i> (C. Booth) Castl. & Rossman	2; 17	III-VII	S	A	3	
<i>Ophioordyceps ditmarii</i> (Quél.) G.H. Sung, J.M. Sung, Hywel-Jones & Spatafora	2	VII	P	A	1	GB
<i>Orbilia xanthostigma</i> (Fr.) Fr.	17	IV	S	A	1	
<i>Otidea alutacea</i> (Pers.) Masee	2	VII-IX	E	A	2	BG-CH-RO
<i>Otidea onotica</i> (Pers.) Fuckel	2; 5; 13	VII-VIII-IX-X	E	A	7	BG-LV-RUS
<i>Otidea silvicola</i> Beck	2	VII	E	A	1	RUS
<i>Panaeolina foenicisii</i> (Pers.) Maire	2	V-VI	S	B	2	
<i>Panaeolus papilionaceus</i> (Bull.) Quél.	1; 2	V-VI-VII	S	B	6	IS-PL
<i>Panellus mitis</i> (Pers.) Singer	4; 12	X-XI	S	B	4	
<i>Panellus stipticus</i> (Bull.) P. Karst.	1; 2; 6; 12; 13	VI-VII-IX-XI	S	B	7	
<i>Panellus violaceofulvus</i> (Batsch) Singer	1; 2; 17	V	S	B	3	N-PL
<i>Paralepista flaccida</i> (Sowerby) Vizzini	1; 5	IX	S	B	4	

<i>Parasola conopilea</i> (Fr.) Örstadius & E. Larss.	2	IX	S	B	1	N
<i>Parasola plicatilis</i> (Curtis) Redhead, Vilgalys & Hopple	2	VIII	S	B	1	
<i>Paxillus involutus</i> (Batsch) Fr.	13	X-XI	E	B	1	
<i>Peniophora cinerea</i> (Pers.) Cooke	9		S	B	1	
<i>Peniophora incarnata</i> (Pers.) P. Karst.	1; 9	III	S	B	3	
<i>Peniophora piceae</i> (Pers.) J. Erikss.	2	III	S	B	1	BAV-CH-PL
<i>Peniophorella pallida</i> (Bres.) K.H. Larss.	17; 22; 23		S	B	3	
<i>Peniophorella praetermissa</i> (P. Karst.) K.H. Larss.	17		S	B	1	
<i>Peroneutypa scoparia</i> (Schwein.) Carmarán & A.I. Romero	10	XI	S	A	1	
<i>Peziza arvernensis</i> Roze & Boud.	5; 13; 18	VI-VII-VIII-IX	S	A	5	
<i>Peziza badia</i> Pers.	5	V	S	A	1	
<i>Peziza celtica</i> (Boud.) M.M. Moser	2	VII	S	A	1	
<i>Peziza michelii</i> (Boud.) Dennis	12	IX	S	A	1	BG
<i>Peziza saniosa</i> Schrad.	2; 18	VII-VIII	S	A	2	BAV-BG-FIN-N-PL-RO
<i>Peziza succosa</i> Berk.	1; 12	VII-IX	S	A	2	FIN-N-PL-RUS
<i>Phaeoclavulina eumorpha</i> (P. Karst.) Giachini	13	IX	S	B	1	
<i>Phaeoclavulina flaccida</i> (Fr.) Giachini	2; 25	VII-IX	S	B	2	
<i>Phaeoclavulina myceliosa</i> (Murrill) Murrill	1	IX	S	B	1	
<i>Phaeohelotium nobile</i> (Velen.) Dennis	17	I	S	A	1	
<i>Phaeolepiota aurea</i> (Matt.) Maire	2; 5; 13	IX-X	S	B	4	PL-RUS
<i>Phaeomarasmius erinaceus</i> (Fr.) Scherff. ex Romagn.	1	V	S	B	1	CH-PL
<i>Phaeotremella simplex</i> (H.S. Jacks. & G.W. Martin) Millanes & Wedin	2	III	P	B	1	N-PL
<i>Phallus impudicus</i> L.	2; 5	VII-VIII-IX	S	B	5	PL-RUS
<i>Phanerochaete laevis</i> (Fr.) J. Erikss. & Ryvardeen	17; 23		S	B	2	
<i>Phanerochaete sordida</i> (P. Karst.) J. Erikss. & Ryvardeen	9; 17		S	B	2	
<i>Phellinus hartigii</i> (Allesch. & Schnabl) Pat.	13	IX	P	B	1	BAV
<i>Phlebia acanthocystis</i> Gilb. & Nakasone	11	VIII	S	B	1	
<i>Phlebiopsis gigantea</i> (Fr.) Jülich	17		S	B	2	
<i>Pholiota adiposa</i> (Batsch) P. Kumm.	2	IX-X	S	B	2	FIN-PL-SK
<i>Pholiota alnicola</i> (Fr.) Singer	2	IX	S	B	1	CH
<i>Pholiota astragalina</i> (Fr.) Singer	2; 5; 12; 18	IX-X	S	B	8	GB
<i>Pholiota flammans</i> (Batsch) P. Kumm.	13	IX	S	B	1	RUS
<i>Pholiota lenta</i> (Pers.) Singer	2; 5; 9; 12	IX-X	S	B	6	
<i>Pholiota lubrica</i> (Pers.) Singer	2	IX-X	S	B	3	
<i>Pholiota scamba</i> (Fr.) M.M. Moser	2	IX-X-XI	S	B	3	BAV
<i>Pholiota spumosa</i> (Fr.) Singer	2; 5; 12	IX-X	S	B	5	CH
<i>Pholiota squarrosa</i> (Vahl) P. Kumm.	13	X	S	B	1	RUS
<i>Pholiotina nemoralis</i> (Harmaja) Bon var. <i>dentatmarginata</i> (Watling) Hauskn.	2; 17	VI-VII	S	B	3	
<i>Pholiotina rugosa</i> (Peck) Singer	2	VI-VII	S	B	2	BAV
<i>Physisporinus vitreus</i> (Pers.) P. Karst.	12; 24	X	S	B	2	EST-PL-RUS
<i>Pleurotus ostreatus</i> (Jacq.) P. Kumm.	1; 10	IV-IX	S	B	2	RUS
<i>Plicatura crispa</i> (Pers.) Rea	1; 2; 9	VIII-IX	S	B	6	PL
<i>Pluteus cervinus</i> (Schaeff.) P. Kumm.	1; 2; 5; 9; 12; 13; 18	V-VI-VII-VIII-IX-X-XI	S	B	19	
<i>Pluteus ephebeus</i> (Fr.) Gillet	5	VII	S	B	1	CH-FIN-PL
<i>Pluteus exiguus</i> (Pat.) Sacc.	2	VII	S	B	1	
<i>Pluteus hispidulus</i> (Fr.) Gillet	2	VI-VII-IX	S	B	1	FIN-S
<i>Pluteus leoninus</i> (Schaeff.) P. Kumm.	2; 5; 12; 13; 18	VI	S	B	11	BAV
<i>Pluteus nanus</i> (Pers.) P. Kumm.	2	VII	S	B	2	RUS
<i>Pluteus petasatus</i> (Fr.) Gillet	2	VII-IX	S	B	1	BAV-PL-RUS
<i>Pluteus phlebophorus</i> (Ditmar) P. Kumm.	1; 2; 5; 18	VII	S	B	4	CH-N-PL
<i>Pluteus romellii</i> (Britzelm.) Sacc.	5	IX	S	B	2	RUS
<i>Pluteus roseipes</i> Höhn.	12	VII	S	B	1	
<i>Pluteus salicinus</i> (Pers.) P. Kumm.	5	VII	S	B	1	RO-RUS
<i>Pluteus thomsonii</i> (Berk. & Broome) Dennis	2	VI-VII	S	B	2	FIN-RUS
<i>Podostroma leucopus</i> P. Karst.	2	VIII	S	A	1	
<i>Polyporus arcularius</i> (Batsch) Fr.	1; 2; 12; 13; 14; 15	IV-V-VII	S	B	6	BAV-CH-RUS
<i>Polyporus badius</i> (Pers.) Schwein.	9		S	B	1	FIN-RUS-S
<i>Polyporus brumalis</i> (Pers.) Fr.	24		S	B	1	
<i>Polyporus lepidus</i> Fr.	2	VI-VII	S	B	3	
<i>Polyporus melanopus</i> (Pers.) Fr.	5; 17	VII-IX	S	B	3	EST-PL
<i>Polyporus varius</i> (Pers.) Fr.	1; 2; 5; 9; 11; 13; 17; 18; 24	V-VI-VII-VIII-IX	S	B	19	
<i>Postia caesia</i> (Schrad.) P. Karst.	2; 12; 17; 18	VII-VIII-IX	S	B	6	EST
<i>Postia fragilis</i> (Fr.) Jülich	17		S	B	1	BAV-EST
<i>Postia simanii</i> (Pilát) Jülich	24		S	B	1	BAV
<i>Postia stiptica</i> (Pers.) Jülich	2; 18	VII-IX	S	B	2	EST
<i>Postia subcaesia</i> (A. David) Jülich	1; 27	IX	S	B	2	
<i>Protostropharia semiglobata</i> (Batsch) Redhead, Moncalvo & Vilgalys	1; 13	V-VI-VII-IX	S	B	4	
<i>Psathyrella candolleana</i> (Fr.) Maire	1; 5; 12	V-VI-VII-VIII	S	B	4	
<i>Psathyrella caput-medusae</i> (Fr.) Konrad & Maubl.	2	VIII	S	B	1	BAV-CH-GB-PL
<i>Psathyrella multipedata</i> (Peck) A.H. Sm.	13	IX	S	B	1	FIN
<i>Psathyrella prona</i> (Fr.) Gillet	2	VII	S	B	1	FIN
<i>Psathyrella spadiceogrisea</i> (Schaeff.) Maire	1	V	S	B	1	
<i>Psathyrella tephrophylla</i> (Romagn.) Bon	2	V	S	B	2	
<i>Pseudoclitocybe cyathiformis</i> (Bull.) Singer	2; 12; 13	IX-X	S	B	5	
<i>Pseudohydnum gelatinosum</i> (Scop.) P. Karst.	1; 2; 5; 12; 13; 17; 18	VII-VIII-IX-X-XI	S	B	21	RUS
<i>Pseudoomphalina graveolens</i> (S. Petersen) Contu & La Rocca	2; 12	IX-X	S	B	3	
<i>Pseudoplectania melaena</i> (Fr.) Sacc.	17	IV-V-VIII	S	A	5	BG-CZ-HR-SK-SLO
<i>Pseudoplectania nigrella</i> (Pers.) Fuckel	2; 8; 13	III-IV-V	S	A	5	GB
<i>Pseudotomentella flavovirens</i> (Höhn. & Litsch.) Svrček	17		S	B	1	
<i>Pycnoporellus fulgens</i> (Fr.) Donk	18	IX	S	B	1	CZ-HR-EST-RUS-S-SLO
<i>Pyrenopeziza revincta</i> (P. Karst.) Gremmen	2	VII	S	A	1	
<i>Ramaria bataillei</i> (Maire) Corner	1; 13; 28	VII-IX-X	E	B	3	S
<i>Ramaria botrytis</i> (Pers.) Bourdot	5	IX	E	B	2	BAV-CH-EST-FIN-GB-MNE-PL-S
<i>Ramaria gracilis</i> (Pers.) Quél.	2	IX	E	B	1	N-PL-RUS
<i>Ramaria largentii</i> Marr & D.E. Stuntz	2; 17; 18	VIII-IX	E	B	4	S

<i>Ramaria pallida</i> (Schaeff.) Ricken	1; 2; 5	VII-IX	E	B	4	FIN-N-S
<i>Rhizocaeete filamentosa</i> (Berk. & M.A. Curtis) Gresl., Nakasone & Rajchenb.	9		S	B	1	
<i>Rhodocollybia butyracea</i> (Bull.) Lennox	2; 5; 9; 12	VII-IX-XI	S	B	5	
<i>Rhodocollybia butyracea</i> (Bull.) Lennox f. <i>asema</i> (Fr.) Antonín, Halling & Noordel.	1; 5; 12	IX-X	S	B	9	
<i>Rhodocollybia filamentosa</i> (Velen.) Antonín	12	IX	S	B	1	BAV
<i>Rhodocollybia maculata</i> (Alb. & Schwein.) Singer	5	IX	E	B	1	
<i>Rhodocollybia prolixa</i> (Fr.) Antonín & Noordel.	5	IX	E	B	2	RO
<i>Rhodophana nitellina</i> (Fr.) Papetti	1; 2; 9; 12; 18; 25	VII-IX	S	B	10	
<i>Rickenella fibula</i> (Bull.) Raitheh.	1; 2; 5; 13; 18	VI-VII-VIII-IX-X	P	B	12	RO
<i>Rickenella swartzii</i> (Fr.) Kuyper	2; 13	VI-VII-IX	P	B	7	
<i>Rigidoporus sanguinolentus</i> (Alb. & Schwein.) Donk	17; 23		S	B	2	EST
<i>Rimbachia neckerae</i> (Fr.) Redhead	1	VI	P	B	1	
<i>Ripartites albidocarnatus</i> (Britzelm.) Konrad & Maubl.	5	X	S	B	1	BAV
<i>Ripartites metrodii</i> Huijsman	12	IX	S	B	1	N-RUS
<i>Ripartites tricholoma</i> (Alb. & Schwein.) P. Karst.	2	VII-VIII-IX	S	B	3	N
<i>Rubroboletus rubrosanguineus</i> (Cheyep) Kuan Zhao & Zhu L. Yang	2; 10; 13	VII-VIII-IX	E	B	4	
<i>Russula acrifolia</i> Romagn.	1; 2; 5; 12; 13	VII-IX-X	E	B	8	
<i>Russula adulterina</i> (Fr.) Peck	1	VII-IX	E	B	2	BAV
<i>Russula adusta</i> (Pers.) Fr.	2	VII	E	B	1	BAV
<i>Russula aeruginea</i> Lindblad ex Fr.	2; 5; 9; 15	VII-VIII	E	B	4	
<i>Russula albonigra</i> (Krombh.) Fr.	1; 2; 12; 18	VII-VIII-IX	E	B	9	BAV-SK
<i>Russula amethystina</i> Quéf.	1; 2; 5; 12; 18	VII-IX	E	B	10	BG-N
<i>Russula anthracina</i> Romagn. var. <i>insipida</i> Romagn.	1	IX	E	B	1	BAV-N
<i>Russula aurea</i> Pers.	1; 2; 5; 12	VI-VII-VIII-IX	E	B	15	BAV-GB-MNE-N-RUS
<i>Russula aurea</i> Pers. var. <i>axantha</i> (Romagn.) Bon	2	IX	E	B	1	
<i>Russula badia</i> Quéf.	2; 5; 12	VIII-IX-X	E	B	5	
<i>Russula betularum</i> Hora	15	VIII	E	B	1	
<i>Russula cavipes</i> Britzelm.	2; 12; 18	IX-X	E	B	10	BAV
<i>Russula chloroides</i> (Krombh.) Bres.	1; 2; 12; 13; 18	VII-VIII-IX	E	B	16	PL
<i>Russula clavipes</i> Velen.	18	IX	E	B	1	BAV
<i>Russula cuprea</i> Krombh.	1	VII	E	B	1	BAV-CH-FIN
<i>Russula curtipes</i> F.H. Møller & Jul. Schäff.	1; 9	VII-IX	E	B	2	BAV-CH-FIN-PL-S
<i>Russula cyanoxantha</i> (Schaeff.) Fr.	1; 2; 5; 12; 18	VI-VII-VIII-IX-X	E	B	24	
<i>Russula cyanoxantha</i> (Schaeff.) Fr. f. <i>pelteaeui</i> Singer	1; 2; 5; 13; 18	VII-VIII-IX	E	B	6	
<i>Russula delicata</i> Fr.	1; 2; 5; 12; 13	VI-VII-VIII-IX	E	B	8	
<i>Russula densifolia</i> Secr. ex Gillet	2; 13	VII-VIII	E	B	5	
<i>Russula faginea</i> Romagn.	1; 2; 5; 12; 18; 28	VII-IX-X	E	B	11	BAV-CH
<i>Russula farinipes</i> Romell	2; 4	VIII-IX	E	B	4	BAV-RUS
<i>Russula faustiana</i> Sarnari	2	VII	E	B	4	BAV
<i>Russula favrei</i> M.M. Moser	1; 2; 12; 13; 18; 28	VI-VII-VIII-IX	E	B	12	BAV
<i>Russula fellea</i> (Fr.) Fr.	1; 2; 5; 12; 13; 18	VII-VIII-IX-X	E	B	18	
<i>Russula firmula</i> Jul. Schäff.	1; 2; 5; 8; 12; 18	VII-VIII-IX-X	E	B	16	
<i>Russula foetens</i> Pers.	1; 2; 5; 12; 13	VII-VIII-IX	E	B	11	
<i>Russula fragilis</i> Fr.	2; 5; 13	VII-IX-X	E	B	5	
<i>Russula fragrantissima</i> Romagn.	1; 2; 5; 12; 18	VII-VIII-IX	E	B	8	BAV
<i>Russula globispora</i> (J. Blum) Bon	1	VII	E	B	1	
<i>Russula grata</i> Britzelm.	1; 2; 13; 18	VII-VIII-IX-X	E	B	11	AL-FIN-N-RUS
<i>Russula griseascens</i> (Bon & Gaugué) Marti	18	IX	E	B	1	BAV-CH
<i>Russula heterophylla</i> (Fr.) Fr.	5; 13	VII-VIII	E	B	2	BAV
<i>Russula integra</i> (L.) Fr.	5; 9; 13	VII-IX	E	B	4	
<i>Russula langei</i> Bon	1	VII	E	B	1	
<i>Russula loricata</i> Velen.	1	IX	E	B	1	BAV
<i>Russula lepida</i> Fr.	1; 2; 5; 13	VII-VIII-IX	E	B	8	FIN
<i>Russula maculata</i> Quéf.	2; 5	IX-X	E	B	3	CH-N
<i>Russula mairei</i> Singer	1; 2; 5; 9; 12; 13; 18	VII-VIII-IX-X	E	B	22	
<i>Russula mustelina</i> Fr.	13	VII	E	B	2	FIN-RUS
<i>Russula nauseosa</i> (Pers.) Fr.	1; 2; 5; 12; 13; 17; 18	VI-VII-VIII-IX-X-XI	E	B	17	
<i>Russula nigricans</i> Fr.	2; 5; 13	VIVI-VIII-IX	E	B	8	
<i>Russula ochroleuca</i> Fr.	1; 2; 5; 9; 18	VIII-IX	E	B	13	
<i>Russula olivacea</i> (Schaeff.) Fr.	1; 2; 5; 12; 13; 18	VII-VIII-IX	E	B	10	FIN-MNE-N
<i>Russula parazurea</i> Jul. Schäff.	1	VII	E	B	1	BAV
<i>Russula postiana</i> Romell	1; 28	VII-VIII	E	B	3	PL-RUS
<i>Russula puellaris</i> Fr.	1; 2; 10	VII-IX	E	B	3	
<i>Russula puellula</i> Ebbesen, F.H. Møller & Jul. Schäff.	2	VII	E	B	3	S
<i>Russula queletii</i> Fr.	2; 12; 13; 18	IX-X	E	B	5	
<i>Russula rhodella</i> E.-J. Gilbert	2	X	E	B	1	BAV
<i>Russula risigallina</i> (Batsch) Sacc.	1; 2; 5; 11; 12; 13	VII-VIII-IX	E	B	12	
<i>Russula romellii</i> Maire	1; 2; 5; 12; 13; 28	VI-VII-VIII-IX-X	E	B	20	
<i>Russula rubra</i> (Lam.) Fr.	2	VIII	E	B	1	BAV-CH-PL
<i>Russula sapinea</i> Sarnari	1; 2; 5; 18	VII-IX	E	B	12	
<i>Russula solaris</i> Ferd. & Winge	1	VII	E	B	2	BAV-BG-FIN-S
<i>Russula turci</i> Bres.	1; 2; 12; 13	VII-VIII-IX-X	E	B	13	N
<i>Russula velutipes</i> Velen.	2; 5; 13	VII-VIII-IX	E	B	5	FIN
<i>Russula vesca</i> Fr.	1; 2; 5; 12; 13	VII-IX	E	B	9	
<i>Russula veternosa</i> Fr.	1; 2; 5; 18	VII-IX	E	B	8	BAV-CH
<i>Russula vinosa</i> Lindblad	18	IX	E	B	1	GB
<i>Russula viscida</i> Kufřna	1; 2; 9; 12	VIII-IX-X	E	B	18	BG-GB-RUS-S-SK
<i>Russula xerampelina</i> (Schaeff.) Fr.	2; 5; 12; 13; 18	VI-VII-IX-X	E	B	11	
<i>Sarcodon imbricatus</i> (L.) P. Karst.	1; 2; 5; 13; 18	VIII-IX	E	B	9	MNE-PL-RUS
<i>Sarcosphaera coronaria</i> (Jacq.) J. Schröt.	2; 5; 13	VI-VII	S-E	A	8	BG-EST-FIN-GB-MNE-N-NMK-RO-S-SK
<i>Schizopora paradoxa</i> (Schrad.) Donk	9; 17		S	B	2	EST
<i>Schyzophyllum commune</i> Fr.	2; 13	V-VII-XI	S	B	4	
<i>Scleroderma verrucosum</i> (Bull.) Pers.	5	IX	E	B	1	CH-S
<i>Scutellinia crinita</i> (Bull.) Lambotte	1; 18	VII-VIII	S	A	2	
<i>Scutellinia scutellata</i> (L.) Lambotte	2	VII	S	A	1	

<i>Scutellinia trechispora</i> (Berk. & Broome) Lambotte	2	VII	S	A	1	
<i>Scutellinia umbrarum</i> (Fr.) Lambotte	2	VII	S	A	1	
<i>Sebacina grisea</i> Bres.	10; 24	XI	E	B	2	
<i>Sebacina incrustans</i> (Pers.) Tul. & C. Tul.	2	VIII-IX	E	B	2	
<i>Simocybe centunculus</i> (Fr.) P. Karst.	1	VII	S	B	1	
<i>Sistotrema brinkmannii</i> (Bres.) J. Erikss.	23		S	B	1	
<i>Sistotrema coroniferum</i> (Höhn. & Litsch.) Donk	9		S	B	1	
<i>Skeletocutis alutacea</i> (J. Lowe) Jean Keller	17		S	B	1	BAV-EST-NMK-PL
<i>Skeletocutis amorpha</i> (Fr.) Kotl. & Pouzar	2; 9; 17	V	S	B	4	EST
<i>Skeletocutis nivea</i> (Jungh.) Jean Keller	1; 26	VIII-IX	S	B	2	EST
<i>Squamanita pearsonii</i> Bas	18	IX	P	B	1	GB
<i>Steccherinum fimbriatum</i> (Pers.) J. Erikss.	2; 9; 23	VII	S	B	3	
<i>Steccherinum ochraceum</i> (Pers. ex J.F. Gmel.) Gray	1; 2; 5	VI-VII	S	B	3	
<i>Stemonitis axifera</i> (Bull.) T. Macbr.	2	VI	B	M	1	
<i>Stemonitis splendens</i> Rostaf.	2	VII	B	M	1	
<i>Stemonitopsis typhina</i> (F.H. Wigg.) Nann.-Bremek.	18	VII	B	M	1	
<i>Stereum hirsutum</i> (Willd.) Pers.	2; 9; 13	V-VII-XI	S	B	8	
<i>Stereum rugosum</i> Pers.	9; 24		S	B	2	
<i>Stereum sanguinolentum</i> (Alb. & Schwein.) Fr.	12	XI	S	B	1	
<i>Strobilomyces strobilaceus</i> (Scop.) Berk.	1; 2; 9; 18	VIII-IX-X	E	B	12	AM-BG-EST-IS-LV-MNE-PL-RO-RUS
<i>Strobilurus esculentus</i> (Wulfen) Singer	1; 2; 10; 13; 17	IV-V-XI	S	B	11	
<i>Stropharia aeruginosa</i> (Curtis) Qué.	1; 5; 9; 10; 12	VII-IX-X	S	B	9	RUS
<i>Suillellus luridus</i> (Schaeff.) Murrill	2; 5; 13	VII-VIII	E	B	8	FIN-RUS
<i>Suillus cavipes</i> (Klotzsch) A.H. Sm. & Thiers	12	XI	E	B	1	CZ-EST-RUS
<i>Suillus grevillei</i> (Klotzsch) Singer	5	IX	E	B	1	AM-RO-RUS
<i>Syzygospora tumefaciens</i> (Ginns & Sunhede) Ginns	2	VII	P	B	1	BAV
<i>Tapesia fusca</i> (Pers.) Fuckel	5	VI	S	A	1	
<i>Tapinella atratotomentosa</i> (Batsch) Šutara	2; 5	IX	S	B	2	RUS
<i>Tarzettia catinus</i> (Holmsk.) Korf & J.K. Rogers	2; 5	VI-VII	S	A	2	
<i>Tephroclype fibrosipes</i> Métrod ex Bon	12	IX-X	S	B	3	
<i>Tephroclype inolens</i> (Fr.) M.M. Moser	4	XI	S	B	1	FIN
<i>Thelephora cuticularis</i> Berk.	2	IX	E	B	1	
<i>Thelephora palmata</i> (Scop.) Fr.	2; 5; 18	VII-VIII-IX	E	B	5	RUS
<i>Thelephora penicillata</i> (Pers.) Fr.	2; 10	VII-IX-X	E	B	2	BAV-N-PL
<i>Thelephora terrestris</i> Ehrh.	13	IX	E	B	1	
<i>Thelephora wakefieldiae</i> Zmitr., Shchepin, Volobuev & Myasnikov	28	VII	S	B	1	
<i>Trametes gibbosa</i> (Pers.) Fr.	1; 13	IX	S	B	2	EST-N
<i>Trametes hirsuta</i> (Wulfen) Lloyd	2; 7; 9	V-VI-VII-XI	S	B	4	EST
<i>Trametes ochracea</i> (Pers.) Gilb. & Ryvarden	9		S	B	1	EST
<i>Trametes pubescens</i> (Schumach.) Pilát	10	IV	S	B	1	EST-PL
<i>Trametes versicolor</i> (L.) Lloyd	1; 2; 5; 6; 9; 12; 13	V-VI-VII-VIII-IX	S	B	11	EST
<i>Trechispora farinacea</i> (Pers.) Libertá	17		S	B	2	
<i>Trechispora mollusca</i> (Pers.) Libertá	17; 24		S	B	2	EST
<i>Trechispora mutabilis</i> (Pers.) Libertá	9		S	B	1	
<i>Tremella mesenterica</i> Retz.	1; 9; 12; 14	IV-V	P	B	5	
<i>Trichaptum abietinum</i> (Pers. ex J.F. Gmel.) Ryvarden	2; 9; 17	V-VII-XII	S	B	5	EST-RUS
<i>Trichocybe puberula</i> (Kuyper) Vizzini	1	V	S	B	1	BAV
<i>Trichoderma citrinum</i> (Pers.) Jaklitsch, W. Gams & Voglmayr	2	VII	S	A	1	
<i>Trichoderma viride</i> Pers.	1; 9; 11	VIII-XI-XII	S	A	4	
<i>Tricholoma albobrunneum</i> (Pers.) P. Kumm.	12	X	E	B	1	
<i>Tricholoma bufonium</i> (Pers.) Gillet	2; 10; 12	IX-X	E	B	6	
<i>Tricholoma columbetta</i> (Fr.) P. Kumm.	12	IX	E	B	1	PL-RUS
<i>Tricholoma gausapatum</i> (Fr.) Qué.	5; 12	IX-X	E	B	2	BAV
<i>Tricholoma lascivum</i> (Fr.) Gillet	2; 9	IX-X	E	B	5	NMK-RUS
<i>Tricholoma luridum</i> (Schaeff.) P. Kumm.	2	IX	E	B	2	BAV-CH-CZ-EST-HR-PL
<i>Tricholoma orirubens</i> Qué.	2; 5; 12	IX-X	E	B	3	BAV-FIN-N-PL-RO-S
<i>Tricholoma saponaceum</i> (Fr.) P. Kumm.	2; 5; 12	IX-X	E	B	3	
<i>Tricholoma sciodes</i> (Pers.) C. Martín	1; 2; 5; 12	VII-VIII-IX	E	B	9	
<i>Tricholoma sejunctum</i> (Sowerby) Qué.	13	X	E	B	1	BAV-MNE-PL-S
<i>Tricholoma sulphureum</i> (Bull.) P. Kumm.	1; 2; 5; 12; 13; 18	VIII-IX-X-XI	E	B	13	
<i>Tricholoma ustale</i> (Fr.) P. Kumm.	2; 5; 10	IX-X	E	B	5	
<i>Tricholoma vaccinum</i> (Schaeff.) P. Kumm.	1; 5; 12; 13	VII-IX-X	E	B	7	MNE
<i>Tricholomopsis decora</i> (Fr.) Singer	6; 12; 18	IX-X	S	B	3	PL-RUS
<i>Tricholomopsis rutilans</i> (Schaeff.) Singer	1; 2; 5; 12; 13; 18	VII-VIII-IX-X	S	B	13	
<i>Tubaria furfuracea</i> (Pers.) Gillet	1; 9; 17	V	S	B	3	
<i>Tubaria romagnesiana</i> Arnolds	2; 5	VII	S	B	2	
<i>Tubifera ferruginosa</i> (Batsch) J.F. Gmel.	2	VI-VIII	B	M	1	
<i>Tubulicrinis medius</i> (Bourdote & Galzin) Oberw.	17		S	B	2	
<i>Tulasnella violacea</i> (Johan-Olsen) Juel	17		S	B	1	
<i>Tulasnella violea</i> (Qué.) Bourdot & Galzin	1; 17; 23	III-IV	S	B	4	
<i>Tylospora asterophora</i> (Bonord.) Donk	17		S	B	1	CH
<i>Tylospora fibrillosa</i> (Burt) Donk	17		S	B	1	PL
<i>Tyromyces chioneus</i> (Fr.) P. Karst.	2; 5; 24	IX	S	B	4	CH-EST
<i>Volvariella hypopithys</i> (Fr.) Shaffer	2; 18	IX	S	B	3	PL
<i>Vuilleminia comedens</i> (Nees) Maire	12	VIII	S	B	1	
<i>Xenasma tulasnelloideum</i> (Höhn. & Litsch.) Donk	17		S	B	2	
<i>Xenasmatella vaga</i> (Fr.) Stalpers	9; 23		S	B	2	
<i>Xerocomellus chrysenteron</i> (Bull.) Šutara	9	VIII	E	B	1	
<i>Xerocomellus pruinosus</i> (Fr. & Hök) Šutara	1; 2; 5; 9; 11; 12; 13; 18	VI-VII-VIII-IX-X	E	B	21	FIN
<i>Xerocomellus truncatus</i> (Singer, Snell & E.A. Dick) Klofac	2; 13	VI-VIII	E	B	2	
<i>Xerocomus ferrugineus</i> (Schaeff.) Alessio	2; 9; 13; 18	VII-IX	E	B	5	
<i>Xerocomus subtomentosus</i> (L.) Qué.	1; 5	VII-IX	E	B	3	
<i>Xeromphalina campanella</i> (Batsch) Kühner & Maire	1; 2; 17	V-VIII	S	B	6	
<i>Xeromphalina caudicinalis</i> (Fr.) Kühner & Maire	13	IX	S	B	1	SK
<i>Xylaria carpophila</i> (Pers.) Fr.	1	V-VI	S	A	2	RO

<i>Xylaria hypoxylon</i> (L.) Grev.	1; 2; 9; 11; 13; 18	VI-VII-VIII-IX	S	A	10	
<i>Xylaria longipes</i> Nitschke	2; 8	VII-IX	S	A	2	N
<i>Xylaria polymorpha</i> (Pers.) Grev.	1; 2; 5; 9; 11; 18	VII-VIII-IX	S	A	7	EST-LV-N-RUS
<i>Xylodon asperus</i> (Fr.) Hjortstam & Ryvarden	17; 24		S	B	2	
<i>Xylodon radula</i> (Fr.) Tjura, Zmitr., Wasser & Spirin	9; 17		S	B	3	
<i>Zhuliangomyces illinitus</i> (Fr.) Redhead	5	IX	S	B	1	BAV-CZ-GB-HR-N-NMK-RUS